GOVERNMENT OF ANDHRA PRADESH <u>ABSTRACT</u>

Public Servants – PR & RD Department – Allegation of irregularity committed in sanctioning estimates and execution of work of "FDR to the R/f Yanamalakuduru KM 0/0 to Pedapulipaka KM 1/0 Yanamalakuduru" against Sri V.Giridhar, Assistant Executive Engineer, - Disciplinary action initiated – WSD submitted - Awarding a punishment of "Censure" – Orders – Issued.

G.O.Rt.No. 1370

Dated:26.08.2013.
Read the following:-

- 1.GA (V&E) Dept. Appraisal Report No.71(42/V&E/E2/2010-2), dt.,10-08-2011.
- 2. G.O.Rt. No. 1208 PR&RD (Vig.II) Dept., dt., 10-07-2012.
- 3. From Sri V. Giridhar, AEE, PR (D) Nuzvid,, WSD dt: 14-08-2012.
- 4. From the ENC, PR, Lr. No. Vig.II (2)/1431/12, dt., 20-03-2013.

--:0:--

It has been brought to the notice of Government that Sri. V. Giridhar Assistant Executive Engineer, PR, Division, Nuzividu, Krishna District has committed irregularity by not scrutinizing the specifications while sanctioning the estimate for allowing the improper specification of wearing course while scrutinizing the estimate and for finalizing agreement specifications which are not in line with the approved data in FDR works pertaining to PR, Division Nuziveedu of Krishna District in connection with the execution of the work of "FDR to the R/f Yanamalakuduru KM 0/0 to Pedapulipaka KM 1/0 of Yanamalakuduru" and Charges were framed against Sri V. Giridhar, Assistant Executive Engineer, PR, Division, Nuziveedu vide G.O. 2nd read above, by calling his written statement of defence and the C.O. has submitted his written statement of defence, vide reference 3rd read above.

- 2. The Engineer-in-Chief, (PR) in his letter 4th read above, in his specific remarks on the WSD of the Charged Officer has stated that the Superintending Engineer, PR, Machilipatnam has submitted his remarks stating that the said work was executed as per the field requirement and there is no intentional violation of specifications for norms and proposed for dropping further action, since the amount of recovery proposed by the V&QC Rs. 34,539/- has been recovered vide Vr. No. 24, dated 10-07-2012.
- 3. After careful examination of the matter, Government have decided and hereby award the punishment of "Censure" to the Charged Officer, viz., Sri V. Giridhar, Assistant Executive Engineer, PR, Division, Nuzividu, Krishna District
- 4. The Engineer-in-Chief, Panchayat Raj, Hyderabad shall take necessary further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

V. NAGI REDDY PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To

Sri V. Giridhar, Assistant Executive Engineer,

PR, Division, Nuzividu, Krishna District, through the Engineer-in-Chief,

Panchayati Raj, Hyderabad.

The Engineer-in-Chief, Panchayati Raj, Hyderabad.

Copy to:

The G.A. (V&E) Department

The Secretary, APVC, Hyderabad. 71(432/V7E/E2/2010-2)

SF/SCs

//FORWARDED BY ORDER//

SECTION OFFICER